



# SAFETY DATA SHEET

## BIZERBA Roller Cleaner

SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date issued 03.02.2015

Revision date 16.10.2014

#### 1.1. Product identifier

Product name BIZERBA Roller Cleaner

Specification No. L03000000099

Article no. 94008900261 (50mL), 94008900255 (250mL), 94008900262 (500mL)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group Alcohol-based Cleaner

Use of the substance/preparation Hard surface cleaner.

Relevant identified uses  
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites  
SU4 Manufacture of food products  
SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen)  
PC35 Washing and cleaning products (including solvent based products)  
PROC10 Roller application or brushing  
ERC8B Wide dispersive indoor use of reactive substances in open systems

Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Company name Kleinmann GmbH  
Postal address Am Trieb 13  
Postcode D-72820  
City Sonnenbuehl  
Country Germany  
Tel +49(0)7128/9292-15  
Fax +49(0)7128/9292-415  
E-mail chemie@kleinmann.net  
Website <http://www.kleinmann.net>  
Enterprise no. DE 146 487

#### 1.4. Emergency telephone number

Emergency telephone 8-12, Mo.-Fr.:+49(0)7128/9292-15

### SECTION 2: Hazards identification

#### 2.1. Classification of substance or mixture

Classification according to Flam. Liq. 3;H226;  
Regulation (EC) No 1272/2008 Eye Dam. 1;H318;  
[CLP/GHS] STOT SE3;H336;

#### 2.2. Label elements

## Hazard Pictograms (CLP)



Composition on the label	Propan-2-ol
Signal word	Danger
Hazard statements	H226 Flammable liquid and vapour. H318 Causes Serious eye damage. H336 May cause drowsiness or dizziness.
Precautionary statements	P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P280 Wear eye protection. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.

### 2.3. Other hazards

Description of hazard	The product is highly flammable and may be ignited even after short contact with an ignition source. Vapours may cause drowsiness and dizziness.
Health effect	In high concentrations, vapours may be irritating to the respiratory system. Splashes in the eyes may cause redness and irritation.
Environmental effects	This product does not contain any PBT or vPvB substances.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Substance	Identification	Classification	Contents
Propan-2-ol	CAS no.: 67-63-0 EC no.: 200-661-7 Index no.: 603-117-00-0 Synonyms: Propan-2-ol	F; R11 Xi; R36 R67 Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	20 - 40 %
2-Phenoxyethanol	CAS no.: 122-99-6 EC no.: 204-589-7 Index no.: 603-098-00-9	Xn; R22 Xi; R36 Acute tox. 4; H302 Eye Irrit. 2; H319	5 - 10 %
Isotridecanoethoxylate	CAS no.: 69011-36-5 EC no.: 500-241-6 Registration number: 02-2119552461-55-xxxx Synonyms: Alkoholethoxylat	Xn; R22,R41 Acute tox. 4; H302; Eye Dam. 1; H318;	1 - 5 %
Phosphoric acid partial ester, Na salt	CAS no.: 111798-26-6	Skin Irrit. 2;H315; Eye Irrit. 2;H319;	1 - 5 %
Substance comments	The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General	Remove affected person from source of contamination.
---------	--

Inhalation	Fresh air. Get medical attention if any discomfort continues.
Skin contact	Rinse with water. Contact physician if discomfort continues.
Eye contact	Immediately rinse with water for several minutes. Make sure to remove any contact lenses from the eyes before rinsing. Contact physician if irritation persists.
Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Get medical attention if any discomfort continues.
Recommended personal protective equipment for first aid responders	Wear necessary protective equipment. For personal protection, see section 8.

#### 4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	As described in section 2.2 and 2.3.
Delayed symptoms and effects	Inhalation of high vapour concentrations may cause symptoms such as mild irritation, headache, dizziness, fatigue, nausea and in serious cases unconsciousness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information	If unconscious: Call an ambulance/physician immediately. Show this Safety Data Sheet.
-------------------	---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Improper extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures. Closed containers can burst violently when heated, due to excess pressure build-up. During fire, gases hazardous to health may be formed.
----------------------------	--

#### 5.3. Advice for firefighters

Personal protective equipment	Wear necessary protective equipment. For personal protection, see section 8.
Fire fighting procedures	Reference is made to the company fire procedure. If risk of water pollution occurs, notify appropriate authorities. Water spray may be used to flush spills away from exposures and dilute spills to non-flammable mixtures. Containers close to fire should be removed immediately or cooled with water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures	Wear necessary protective equipment. For personal protection, see section 8. Do not smoke, use open fire or other sources of ignition.
------------------------------	---

#### 6.2. Environmental precautions

Environmental precautionary measures	Avoid discharge into water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.
--------------------------------------	--

#### 6.3. Methods and material for containment and cleaning up

Cleaning method	Smaller quantities of residue may be collected by an absorbent. Dam and absorb spillages with sand, earth or other non-combustible material. Wash contaminated area with water.
-----------------	---

#### 6.4. Reference to other sections

Other instructions	See section 8 and section 13.
--------------------	-------------------------------

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handling Avoid inhalation of vapours. Keep away from heat, sparks and open flame.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Store in tightly closed original container in a well-ventilated place. Do not store near heat sources or expose to high temperatures.

Other Information Follow rules for flammable liquids.

### Conditions for safe storage

Storage Temperature Value: -15-20 °C.

Storage Stability Durability: 24 months.

### 7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational Exposure limit values

Substance	Identification	Value	TWA Year
Propan-2-ol	CAS no.: 67-63-0	8-hour TWA: 400 ppm	2011
	EC no.: 200-661-7	8-hour TWA: 999 mg/m <sup>3</sup>	
	Index no.: 603-117-00-0	15 min.: 500 ppm	
	Synonyms: Propan-2-ol	15 min.: 1250 mg/m <sup>3</sup>	
2-Phenoxyethanol	CAS no.: 122-99-6		
	EC no.: 204-589-7		
	Index no.: 603-098-00-9		

#### DNEL / PNEC

Summary of risk management measures, human Data lacking.

Summary of risk management measures, environment Data lacking.

### 8.2. Exposure controls

Recommended monitoring procedures Not known.

Limitation of exposure on workplace Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

### Safety signs



#### Respiratory protection

Respiratory protection In case of inadequate ventilation use suitable respirator. Use respiratory equipment with combination filter, type A2/P2.

#### Hand protection

Hand protection Under normal conditions of use gloves are not normally required.

#### Eye / face protection

Eye protection Wear approved, tight fitting safety glasses where splashing is probable.

#### Skin protection

Skin protection (except hands) No special precautions.

#### Thermal hazards

Thermal hazards See section 5.

### **Appropriate environmental exposure control**

Environmental exposure controls See section 6.

### **Other Information**

Other Information DO NOT SMOKE IN WORK AREA!

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state	Fluid.
Colour	Colourless.
Odour	Odour of alcohol.
Comments, Odour limit	No data recorded.
pH (as supplied)	Value: 8-10
Comments, pH (aqueous solution)	Not relevant.
Comments, Melting point / melting range	Not relevant.
Comments, Boiling point / boiling range	No data recorded.
Flash point	Value: 25 °C
Comments, Evaporation rate	No data recorded.
Comments, Explosion limit	No data recorded.
Comments, Vapour pressure	No data recorded.
Comments, Vapour density	No data recorded.
Specific gravity	Value: ~ 0,95 kg/l
Comments, Bulk density	Not relevant.
Solubility description	Completely soluble in water.
Comments, Partition coefficient: n-octanol / water	No data recorded.
Comments, Spontaneous combustability	No data recorded.
Comments, Decomposition temperature	No data recorded.
Comments, Viscosity	Not relevant.
Explosive properties	Not explosive.
Oxidising properties	Does not meet the criteria for oxidising.

### **9.2. Other information**

#### **Physical hazards**

Solvent content	Value: 356,73 g/L
Comments, Permeation rate	No data recorded.
Comments, Pour point	Not relevant.
Comments, Particle size	Not relevant.
Comments, Critical pressure	No data recorded.
Comments, Expansion coefficient	No data recorded.
Comments, Redox potential	No data recorded.
Comments, Radical formation potential	Not relevant.
Comments, Photocatalytic properties	Not relevant.

#### **Other physical and chemical properties**

Comments	No data recorded.
----------	-------------------

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Reactivity No specific reactivity hazards associated with this product.

**10.2. Chemical stability**

Stability Stable under normal temperature conditions and recommended use.

**10.3. Possibility of hazardous reactions**

Possibility of hazardous reactions See section 10.4 and section 10.5.

**10.4. Conditions to avoid**

Conditions to avoid Avoid heat, flames and other sources of ignition.

**10.5. Incompatible materials**

Materials to avoid Strong acids. Strong alkalis.

**10.6. Hazardous decomposition products**

Hazardous decomposition products During fire, toxic gases (CO, CO<sub>2</sub>) are formed.

**Other information**

Other Information No data recorded.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicological Information:**

Other toxicological data Toxicological tests on the product has not been performed.

**Toxicological data for substances**

Substance No data available for ingredient(s).

LD50 oral Value: - -  
Animal test species: -  
Duration: -  
Comments: -

Substance Isotridecanoethoxylate  
LD50 oral Value: 500-2000 mg/kg  
Animal test species: Rat  
Test reference: OECD 423  
Comments: Supplier MSDS

Skin corrosion / irritation Species: Rabbit. Result: Non irritation to skin. Method of testing: OECD 404  
Serious eye damage / irritation Species: Rabbit. Result: Irreversible eye damage. Method of testing: OECD 405

**Other information regarding health hazards**

General No information about adverse effects due to exposure.

**Potential acute effects**

Inhalation In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Aerosols irritate the respiratory system, and may cause coughing and difficulties in breathing.

Skin contact Skin irritation is not anticipated when used normally.

Eye contact Direct contact may irritate.

Ingestion Ingestion may cause irritation of the gastrointestinal tract, vomiting and diarrhoea.

**SECTION 12: Ecological information****12.1. Toxicity**

Ecotoxicity The product is not expected to be hazardous to the environment.

Aquatic, comments No data recorded.

**Toxicological data for substances**

Substance	No data available for ingredient(s).
Aquatic, comments	-
Substance	Isotridecanoethoxylate
Acute aquatic, fish	Value: 1-10 mg/l Method of testing: LC50 - OECD TG 203 Species: Cyprinus carpio Duration: 96h
Acute aquatic, algae	Value: 1-10 mg/l Method of testing: EC50 - OECD TG 201 Species: Desmodesmus subspicatus Duration: 72h
Acute aquatic, Daphnia	Value: 1-10 mg/l Method of testing: EC50 - OECD TG 202 Species: Daphnia magna Duration: 48h
Mobility, description	Mobility, description: The product is miscible with water. May spread in water systems.
Persistence and degradability	The product is easily biodegradable.
Biodegradability	Value: > 60% Test period: 28 d Method of testing: OECD 301B
Chemical oxygen demand (COD)	Value: 2100
Bioaccumulation	Bioaccumulation: Is not expected to be bioaccumulable.
Result of PBT assessment for the substance	Not Classified as PBT/vPvB by current EU criteria.

## 12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

## 12.4. Mobility in soil

Mobility Not regarded as dangerous for the environment. The product is miscible with water. May spread in water systems.

## 12.5. Results of PBT and vPvB assessment

PBT assessment results Not Classified as PBT/vPvB by current EU criteria.

## 12.6. Other adverse effects

Environmental details, summation For this product no classification is required for environmental hazards.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Specify the appropriate methods of disposal	Do not empty into drains; dispose of this material and its container at hazardous or special waste collection point. Dispose of waste and residues in accordance with local authority requirements.
Product classified as hazardous waste	Yes
Packaging classified as hazardous waste	Yes
EWC waste code	EWC: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
Other Information	When handling waste, consideration should be made to the safety precautions applying to handling of the product. Waste code applies to product remnants in pure form.

## SECTION 14: Transport information

### 14.1. UN number

ADR	1219
RID	1219
IMDG	1219
ICAO/IATA	1219

### 14.2. UN proper shipping name

ADR	ISOPROPYL ALCOHOL
RID	ISOPROPYL ALCOHOL
IMDG	ISOPROPYL ALCOHOL
ICAO/IATA	ISOPROPYL ALCOHOL

### 14.3. Transport hazard class(es)

ADR	3
Hazard no.	33
RID	3
IMDG	3
ICAO/IATA	3

### 14.4. Packing group

ADR	II
RID	II
IMDG	II
ICAO/IATA	II

### 14.5. Environmental hazards

### 14.6. Special precautions for user

EmS	F-E, S-D
Special safety precautions for user	Not relevant.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Additional information.

Additional information.	Not relevant.
-------------------------	---------------

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-directive	Dangerous Preparations Directive 1999/45/EC. Dangerous Substance Directive 67/548/EEC.
Other Label Information	As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
Legislation and regulations	The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).



EH40/2005, Workplace exposure limits 2005, with amendments.

**15.2. Chemical safety assessment**

Chemical safety assessment performed No

**SECTION 16: Other information**

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]	Flam. Liq. 3; H226; Eye Dam. 1; H318; STOT SE3; H336;
List of relevant R-phrases (under headings 2 and 3).	R67 Vapours may cause drowsiness and dizziness. R36 Irritating to eyes. R11 Highly flammable. R22 Harmful if swallowed. R41 Risk of serious damage to eyes.
List of relevant H-phrases (Section 2 and 3).	H318 Causes Serious eye damage. H302 Harmful if swallowed. H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H315 Causes skin irritation. H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.
Training advice	No particular training or education is required but the user must be familiar with this SDS. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
Information which has been added, deleted or revised	New safety data sheet.
Version	1
Responsible for safety data sheet	Kleinmann GmbH
Prepared by	IB